

Maintenance

To ensure your door's longevity and appearance, a protective finish must be applied within 48 hours of installation. This initial coat shields against moisture, UV rays, and wear. Not doing so will void warranty. Reapply annually to maintain protection and structural integrity. Annual professional servicing is also advised to address any functional issues, ensuring smooth operation. Following these steps can extend your door's lifespan and performance.

Operators

Our professionals assess factors like weight, size, and usage to recommend the optimal motor strength for your wood door, ensuring reliable operation.



Warranty

We guarantee the quality and reliability of our product. We offer a (2) year warranty on materials that defect. A (1) year warranty on labor. Any workmanship problems or issues related to the installation or assembly will be addressed for one year.

Let's Work Together




www.ontrackgaragedoorservice.com info@ontrackgd.com 4821 E Indigo St #101 Mesa, Az 85205



The Advantages of Our Products

- Doors crafted to meet specific needs and aesthetics.
- Built on 24-gauge panels for exceptional strength and long-lasting durability.
- Constructed using 1"x6" tongue and groove planks.
- Insulated panels enhance energy efficiency.
- Flexible customization options to fit a variety of designs.
- Perfectly match custom arched openings.
- Choose between smooth or rough side finishes.
- Equipped with commercial-grade hardware.
- Available in sizes up to 20 feet wide and 14 feet high.
- Create a garage entryway that combines functionality, style, and personal touch.


Wood Designs



*Staining not provided by OnTrack

Windows &

Decorative Hardware





Glass Types - Clear, Tinted, Frosted & Seeded

If you don't see your desired window design, contact a representative to explore tailored possibilities that fit your needs

